

MAKE YOUR WHEELS GO THE DISTANCE



Shanghai Baolong Automotive Corporation (Baolong) was established in May 1997. It has become a leading player in Tire Service Products business and Stainless Steel Exhaust Products business all over the world in the past several years. Baolong not only supplies to some famous auto manufacturers, but also to its worldwide aftermarket distributors in more than 70 countries with top quality products and best service. In order to offer the top quality products to its customers, Baolong and its subsidiaries always follow the requirements of ISO9001, QS9000, VDA6.1, ISO/TS16949 and have established a strict QC system.

The main products of Baolong include: Topseal tire and wheel service products, Valor performance exhaust system and components, DigiTire tire pressure monitoring system etc. Baolong also outsources other related products to offer its customers with one-stop purchasing.



Shanghai Baolong Automotive Corporation

71, Maosheng Road, Dongjing, Songjiang,
Shanghai 201619, China

Tel: +86-21-57690000(100 Lines)

Fax: +86-21-57690035

E-mail: sbic@baolong.biz sbic@chinabaolong.net

www.baolong.biz




Official Supplier of Tire Service Products for GM, Ford and DaimlerChrysler.

PRODUCTS CATALOGUE

Wheel Balance Weights


- Tire Valves
- Tire Repair Tools
- Wheel Balancing Weights
- Wheel Lug Nuts and Bolts
- Wheel Locks
- Other Accessories

2007





Zinc Balance Weights For Passenger Cars

**TYPE: ZN03**

Standard zinc weight for most steel rims.

Weight size (g):

5	10	15	20	25	30	35	40	45	50	55	60
---	----	----	----	----	----	----	----	----	----	----	----

Surface:

Epoxy polyester coating

Packing:

5~40g	100pcs/box/bag
45~60g	50pcs/box/bag

1

**TYPE: ZN04**

Standard zinc weight for French steel rims and light truck steel rimes

Weight size (g):

5	10	15	20	25	30	35	40	45	50		
---	----	----	----	----	----	----	----	----	----	--	--

Surface:


Epoxy polyester coating

Packing:

5~40g	100pcs/box/bag
45~60g	50pcs/box/bag



Zinc Balance Weights For Passenger Cars

**TYPE: ZN10**

Universal zinc weight for European alloy rims

Weight size (g):


5	10	15	20	25	30	35	40	45	50	55	60
---	----	----	----	----	----	----	----	----	----	----	----

Surface:

Epoxy polyester coating

Packing:

5~40g	100pcs/box/bag
45~60g	50pcs/box/bag

**TYPE: 3145ZN-2**

Low profile adhesive zinc weight. It can be used on vehicles, where there is little space between the rim and the brake.

Weight size (g):

A 45g strip in 5g X 3 segments and 10gX3 segments, 19mm wide X 3.8mm high

Surface:

Epoxy polyester coating


Packing:

100pcs/box

Tape:

General blue tape, 3M or Norton tape

2

**TYPE: CNC11**

Zinc weight for some Japanese steel rims such as Mazda

Weight size (g):


5	10	15	20	25	30	35	40	45			
---	----	----	----	----	----	----	----	----	--	--	--

Surface:

Silver powder coating

Packing:

5~40g	100pcs/box/bag
45g	50pcs/box/bag

**TYPE: 3160ZN**

Adhesive zinc weight

Weight size (g):

A 60g strip in 5g X 12 segments or 5000 segments 5g on a roll, 20mm wide X 4.1mm high

Surface:

Epoxy polyester coating or Silver powder coating

Packing:

10pcs/bag/box, or 5000pcs/box

Tape:

General blue tape, 3M or Norton tape



Steel Balance Weights For Passenger Cars

**TYPE: FE03**

Universal steel weight for most steel rims.

Weight size (g):

5	10	15	20	25	30	35	40	45	50	55	60
---	----	----	----	----	----	----	----	----	----	----	----

Surface:

Epoxy polyester coating or Zinc plated

Packing:

5-40g	100pcs/box/bag
45-60g	50pcs/box/bag

**TYPE: FE10**

Universal steel weight for European alloy rims

Weight size (g):


5	10	15	20	25	30	35	40	45	50	55	60
---	----	----	----	----	----	----	----	----	----	----	----

Surface:

Epoxy polyester coating or Zinc plated

Packing:

5-40g	100pcs/box/bag
45-60g	50pcs/box/bag

**TYPE: 3205FE**

Adhesive steel weight

Weight size (g):

A 60g strip in 5gx12 segments or 1000 segments 5g on a roll, 19mm wide x 3.8mm high

Surface:


Zinc plated or Dichromate finish

Packing:

10pcs/box/bag

Tape:

General blue tape, 3M or Norton tape

**TYPE: 3305FE**

Adhesive stainless steel weight

Weight size (g):

A 60g strip in 5g X 12 segments or 1000 segments 5g on a roll, 19mm wide X 3.8mm high

Surface:

Polished

Packing:


10pcs/box/bag

Tape:

General blue tape, 3M or Norton tape



Lead Balance Weights For Passenger Cars

**TYPE: 27-1001**

Universal weight for all steel rims that have a single radius flange, especially to fit American cars.

Weight size (g):

5	7	10	15	20	25	30	35	40	45	50	55	60	65	70	85	110
---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

Surface:

No coating

Packing:

5-60g	100pcs/box/bag
65-110g	50pcs/box/bag

**TYPE: 27-1002**

Universal weight for steel rims —New style

Weight size (g):

5	7	10	15	20	25	30	35	40	45	50	55	60	65	70	85	110
---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

Surface:

No coating

Packing:

5-60g	100pcs/box/bag
65-110g	50pcs/box/bag

**TYPE: BL-1011**

Standard weight for steel rims (J flange)

Weight size (g):

5	10	15	20	25	30	35	40	45	50	55	60	70	80	85	90	100	110
---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----

Surface:

No coating

Packing:

5-60g	100pcs/box/bag
70-110g	50pcs/box/bag

**TYPE: BL-1016**

Standard weight for TOYOTA 4WD steel rims

Weight size (g):

30	50	70	100	120
----	----	----	-----	-----

Surface:

No coating or Silver powder coating

Packing:

50pcs/bag



Lead Balance Weights For Passenger Cars



TYPE: CNC06
Uncoated weight for some American steel rims such as Ford.

Weight size (g):
5 10 15 20 25 30 35 40 45 50 55 60

Surface:
No coating

Packing:
100pcs/bag



TYPE: 27-2001 ("AW" SERIES)
Uncoated universal weight for European alloy rims with standard rim flange.

Weight size (g):
5 7 10 15 20 25 30 35 40 45 50 55 60

Surface:
No coating

Packing:
100pcs/bag



TYPE: 27-2001P ("IAW" SERIES)
Coated universal weight for European alloy rims with standard rim flange.

Weight size (g):
5 7 10 15 20 25 30 35 40 45 50 55 60

Surface:
Silver powder coating or Epoxy polyester coating

Packing:
100pcs/bag



TYPE: 27-2002 ("FN" SERIES)
Uncoated standard weight for Japanese deep flange alloy rims

Weight size (g):
5 7 10 15 20 25 30 35 40 45 50 55 60

Surface:
No coating

Packing:
100pcs/bag



Lead Balance Weights For Passenger Cars



TYPE: 27-2002P ("FNC" SERIES)
Coated standard weight for Japanese deep flange alloy rims

Weight size (g):
5 7 10 15 20 25 30 35 40 45 50 55 60

Surface:
Silver powder coating or Epoxy polyester coating

Packing:
100pcs/bag



TYPE: 27-2003
Uncoated weight for Japanese alloy rims

Weight size (g):
5 7 10 15 20 25 30 35 40 45 50 55 60

Surface:
No coating

Packing:
100pcs/bag



TYPE: 27-2003P
Coated weight for Japanese alloy rims

Weight size (g):
5 7 10 15 20 25 30 35 40 45 50 55 60

Surface:
Silver powder coating or Epoxy polyester coating

Packing:
100pcs/bag



TYPE: CNC05
Coated weight for some American alloy rims such as Ford.

Weight size (g):
5 10 15 20 25 30 35 40 45 50 55 60

Surface:
Epoxy polyester coating

Packing:
100pcs/bag



Lead Balance Weights For Passenger Cars



TYPE: 27-3006
Adhesive strip weight

Weight size (g):
A 60g strip in 5g X 4 segments and 10gX 4 segments, 15.2mm wide X 4.9mm high

Surface:
No coating

Packing:
100pcs/bag

Tape:
General blue tape, 3M or Norton tape



TYPE: 27-3006A
Adhesive strip weight with 2mm pull-off tag.

Weight size (g):
A 60g strip in 5g X 4 segments and 10gX 4 segments, 15.2mm wide X 4.9mm high

Surface:
No coating

Packing:
100pcs/bag

Tape:
General blue tape



TYPE: 27-3006P
Coated adhesive strip weight.

Weight size (g):
A 60g strip in 5g X 4 segments and 10gX 4 segments, 15.2mm wide X 4.9mm high

Surface:
Silver powder coating

Packing:
100pcs/bag

Tape:
General blue tape, 3M or Norton tape



TYPE: 27-3007
Low profile adhesive strip weight

Weight size (g):
A 60g strip in 5g X 4 segments and 10gX 4 segments, 19.2mm wide X 4mm high


Surface:
No coating

Packing:
100pcs/bag

Tape:
General blue tape, 3M or Norton tape



Lead Balance Weights For Passenger Cars




TYPE: 27-3007A
Low profile adhesive strip weight with 2mm pull-off tag

Weight size (g):
A 60g strip in 5g X 4 segments and 10gX 4 segments, 19.2mm wide X 4mm high

Surface:
No coating

Packing:
100pcs/bag

Tape:
General blue tape




TYPE: 27-3007P
Low profile adhesive strip weight

Weight size (g):
A 60g strip in 5g X 4 segments and 10g X 4 segments, 19.2mm wide X 4mm high

Surface:
Silver powder coating

Packing:
100pcs/bag

Tape:
General blue tape, 3M or Norton tape




TYPE: 27-3008
Adhesive strip weight

Weight size (g):
A 60g strip in 5g X 12 segments, 15.2mm wide X 4.3mm high

Surface:
No coating

Packing:
100pcs/box

Tape:
General blue tape, 3M or Norton tape



TYPE: 27-3008P
Coated adhesive strip weight

Weight size (g):
A 60g strip in 5g X 12 segments, 15.2mm wide X 4.3mm high


Surface:
Silver powder coating

Packing:
100pcs/box

Tape:
General blue tape, 3M or Norton tape



Lead Balance Weights For Passenger Cars




TYPE: 27-3009
Adhesive strip weight with 2mm pull-off tag

Weight size (g):
A 84g (3oz) strip in 7g (1/4oz) X 12 segments, 13mm wide X 4.5mm high

Surface:
No coating

Packing:
100pcs/box

Tape:
General blue tape



TYPE: 27-3009P
Adhesive strip weight with 2mm pull-off tag

Weight size (g):
A 84g (3oz) strip in 7g (1/4oz) X 12 segments, 13mm wide X 4.5mm high

Surface:
Epoxy polyester coating or Silver powder coating

Packing:
100pcs/box

Tape:
General blue tape



TYPE: 27-3010
Low profile adhesive strip weight with 2mm pull-off tag

Weight size (g):
A 84g (3oz) strip in 7g (1/4oz) X 12 segments, 18mm wide X 3.5mm high

Surface:
No coating

Packing:
100pcs/box

Tape:
General blue tape



TYPE: 27-3011
Adhesive strip weight with 2mm pull-off tag

Weight size (g):
A 168g (6 oz) strip in 14g (1/2 oz) X 12 segments, 18mm wide X 6mm high

Surface:
No coating

Packing:
100pcs/box

Tape:
General blue tape



Lead Balance Weights For Trucks



TYPE: 27-1011
Balance weight for light-duty truck rims

Weight size (g):

30	55	85	110	140	170
----	----	----	-----	-----	-----

Surface:
No coating

Packing:
50pcs/bag



TYPE: 27-1021
Balance weight for heavy-duty truck rims

Weight size (g):

50	55	75	100	110	150	170	200	225	250	280	300	340
----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Surface:
No coating

Packing:
25pcs/bag

TOOLS:

Adhesive Wheel Weight Removing Tool

WT11



Standard Wheel Weight Tools

WT21

Standard tool for mounting and dismounting the balance weight.



WT21C

Standard tool with "Soft Head" to prevent damage to the coated weight and the wheel.

